

ALADDIN THEATER

3116 SE 11th Ave | Portland, OR 97202 https://www.aladdin-theater.com | 503-234-9694 (Box Office)

Venue Contacts:

Nathan Ostrander, Production Manager c: (503) 939-9943 | e: nathan@truewestpresents.com

Lee Perry, Venue Manager | e: <u>Lee@truewestpresents.com</u>

Load-in / Parking:

Occurs along the curb at 3116 SE 11th Ave. Please note that 11th Ave is a one-way street heading South. Please confirm your parking needs with your production manager during the advance process, and he or she will reserve the appropriate amount of space for you with parking stanchions. Load-in is up one curb (we can provide a ramp for the curb upon request) and through the stage doors directly onto stage left. No stairs.

Dressing Rooms:

Dressing rooms are located behind the stage and up one flight of stairs. There is one larger private room, one small private room, with an open kitchenette / greenroom in-between. There is also one private restroom with one shower, towels upon request.

Wi-Fi:

Backstage Network Name: Aladdin Visiting Production / Password: iloveascap Merchandise Lobby Network Name: Lamp / Password: rubthelamp *Also posted in dressing rooms*

Merchandise:

The merch area is located in the rear of the venue's attached lounge space. The area is high traffic, well lit with grids, power and room for up to (3) 6' tables. <u>If you need to ship merchandise to the venue</u>, please let us know in advance and use the following address: Aladdin Theater, % Your Artist Name, 3017 SE Milwaukie Ave, Portland, OR 97202

Backline:

Aside from guitar stands, keyboard stands, rugs, etc., we do not have any backline in-house. Local backline rentals can be arranged through SIR Portland, per advance.

Risers:

The venue has (1) 8'x8' static riser deck with 12" or 24" legs and skirting available in house.

ALADDIN THEATER AUDIO SPECIFICATIONS

Avid Venue SC48 Front of House Console

48 - Channel Digital Mixer w/ 48 Analog Mic/Line Inputs and 16 Outputs

*Midas M32 Monitor Console available upon request

32 Channels and 16 Mix Buses

*additional charges may apply

Main Speakers & Amplifiers:

- (4) EAW KF850 tops (2 per side, ground stacked)
- (4) EAW SB 1000 subs (2 per side, ground stacked)
- (1) QSC 3.4 (Highs)
- (3) QSC 6.0II (Mids, Lows, Subs)
- (2) EAW JF100 Front Fills (powered, 1 per side)
- (1) EAW UX8800 Digital Signal Processor, located on stage in the amp rack

Monitor Speakers & Amplifiers:

- (8) EAW MicroWedge 12
- (1) EAW Sb600zR Drum Sub
- (4) QSC PL340 Amplifier

House Snake System:

48 Channel Splitter with hardtail Split to FOH Rack and Multipin disconnect to Monitor console

Snake Interface: 2 x Cat5 + 12pr Analog XLR

(4) 12 channel sub-snakes for stage

House Microphones & DIs:

Shure: (6) Beta 58, (6) SM58, (10) SM57, (1) Beta 52, (1) Beta 91, (4) KSM 137, (3) Beta 98

Audix: (2) D6s, (2) D2s, (2) D4s, (3) ADX 51s, (3) VX5s, (5) OM3s

Lewitt: (1) DTP 340 REX, (3) DTP 340 TTs, (1) MTP 440 DM

Wireless: (2) SLX4 with 58 Capsules

DIs: (8) Radial Pros - Passive DI, (2) Radio Pro DI 2 - Stereo Passive DI

Misc: Mic Stands, XLR cabling, AC stage power



ALADDIN THEATER LIGHTING EQUIPMENT LIST

Updated November 9, 2021

Control

Grand MA2 on PC Command Wing

House lighting control position is located in projection booth above the balcony. Control can be moved to main floor upon request (subject to advance & capacity limitations)



- (1) Guest DMX line available at the lighting / projection booth
- (1) Guest DMX line available at FOH mix position

Fixtures

Down Stage Truss

(4) ETC Color Source LED Lekos & (8) Elation ZW19 LED RGBW wash moving lights

Mid stage Truss

(8) Elation Sixpar 200 RGBAW+UV & (4) Mac Entour 350 moving lights

Up stage Truss

(8) Elation Sixpar 200 RGBAW+UV & (5) Mac Entour 350 moving lights

Hazer

(1) Antari HZ-500 Hazer

Spot Lights

(2) Altman Comets, located in the far House Left / House Right balcony rail

Lighting Patch List

On following page

Video Projection

House Projector is an EIKI LC-HDT700, located in the Balcony Projection/Lighting Booth. House Video Screen is permanently hung at the proscenium line, spans the width of the proscenium arch and is operated by a motorized controller. *Additional charges may apply.



									_
		Δ	Maddin T	heater Pat	tch List -	Updated	Novembe	r 18, 2021	
		-						,	
Downstage - LX1									
Lekos - Color source Spot (5 Ch mo	de)	DS Wash - ZW19 (22	2 Ch Mode)	MS Spot - Mac Entou	ır 350 (17 Ch mode)	MS wash - Sixpar 20	00 (12 Ch mode)	US Spot - Mac Entour 35	50
401 2.341		301	2.165	106	2.001	209	2.069	101	
402 2.346		302	2.187	107	2.018	210	2.081	102	
403 2.351		303	2.209	108	2.035	211	2.093	103	
404 2.356		304	2.231	109	2.052	212	2.105	104	
		305	2.253			213	2.117	105	
		306	2.275			214	2.129		
		307	2.297			215	2.141		
		308	2.319			216	2.153		

Midstage - LX2						
Spot - Mac Entor	ır 350 (17 Ch mode)		MS wash - Sixpar 20	0 (12 Ch mode)		
106	2.001		209	2.069		
107	2.018		210	2.081		
108	2.035		211	2.093		
109	2.052		212	2.105		
			213	2.117		
			214	2.129		
			215	2.141		
			216	2.153		

Upstage - LX3					
US Spot - Mac Entour 3	50 (17 Ch mode)	US wash - Sixpar 20	0 (12 Ch mode)		
101	1.001	201	1.086		
102	1.018	202	1.098		
103	1.035	203	1.110		
104	1.052	204	1.122		
105	1.069	205	1.134		
		206	1.146		
		207	1.158		
		208	1.170		

Floor	Wash
Sixpar 200 (12 Ch mode)
601	2.361
602	2.373
603	2.385
604	2.397
605	2.409
606	2.421



ALADDIN THEATER STAGE SPECIFICATIONS & LAYOUT





